

PVC ACCESSORIES FOR POOLS



- 428 • Pressure fluid handling PVC PN-16 fittings
- 430 • Pressure fluid handling PVC pipes and valves
- 431 • Pressure fluid handling PVC accessories
- 432 • Filter ring manifold for 3/4" laterals
- 432 • Filter ring manifold for 1" laterals
- 433 • Filter diffuser
- 433 • Collector pipe for valve manifold

PRESSURE FLUID HANDLING PVC PN-16 FITTINGS

PVC 90° elbow solvent socket



Ø 50 mm
Ø 63 mm

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
32588	70	8.67	0.0408
32589	36	7.86	0.0408

PVC 45° elbow solvent socket



Ø 50 mm
Ø 63 mm

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
32590	40	3.72	0.0204
32591	20	3.56	0.0204

PVC-Tee 90° solvent socket



Ø 50 mm
Ø 63 mm

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
32592	48	8.95	0.0408
32593	30	9.73	0.0408

PVC union solvent socket



Ø 50 mm
Ø 63 mm

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
32594	60	4.48	0.0204
32595	35	3.98	0.0204

PRESSURE FLUID HANDLING PVC PN-16 FITTINGS
PVC reducing bush solvent socket

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Ø 63 mm x 50 mm	32596	48	3.08	0.0102


PVC adaptor nipple: solvent socket & BSP male thread

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Ø 50 mm x 40 mm x 1 1/2"	32597	24	2.48	0.0102
Ø 63 mm x 50 mm x 2"	32598	38	5.84	0.0204


PVC adaptor nipple: female solvent socket & BSP male thread

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Ø 50 mm x 1 1/2"	32599	48	3.27	0.0102
Ø 63 mm x 2"	32600	50	5.60	0.0204


PVC 3 piece union solvent socket

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Ø 50 mm	32601	30	5.80	0.0204
Ø 63 mm	32602	12	4.44	0.0204



PRESSURE FLUID HANDLING PVC PN-16 FITTINGS

PVC 3 piece union: female solvent socket & BSP male thread



Ø 50 mm x 1 1/2"
Ø 63 mm x 2"

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
32603	30	6.70	0.0204
32604	12	5.24	0.0204

PRESSURE FLUID HANDLING PVC PIPES AND VALVES

3-way rotay disc valve



new

3-way control valve in PVC-U with rotary damper for the change of flow. Usable in circuits where the working pressure not exceeding 6 bar (90 psi), with visual indicator of the closed way. Size: D50-63 and D63-75. Available manual operation (with handle) or automatically (with electric actuator). Designed for use in pools and spas, it has a distribution system designed to provide optimal regulation of flow to each output with ease of handling. Manual valve allows 2-ways opened, 3-way opened or partially adjustable open, while electric actuator can turn 90 or 180° and 230 or 24 Vac connection.



	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
3 ways rotary disc valve D63/75	41862	4	-	0.041
Automatic 220 Vac - D63/75	41864	1	-	0.041
Automatic 24 Vac - D63/75	43730	1	-	0.041
3 ways rotary disc valve D50/63	15765	8	-	0.041
Automatic 220 Vac - D50/63	41863	1	-	0.041
Automatic 24 Vac - D50/63	45866	1	-	0.041

PVC ball valve PN-10



HDPE (polythene) ball seat. EPDM O-rings. "Antiblock" system.

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Ø 50 mm	41941	10	7.61	0.0204
Ø 63 mm	41942	9	11.80	0.0408

PVC pipe PN-10



	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Ø 50 mm	02709	100 m	45.0	1.14
Ø 63 mm	02710	100 m	72.0	1.40

PRESSURE FLUID HANDLING PVC ACCESSORIES
Semi-rigid hose

Made of PVC to glue to pressure fittings using PVC adhesive grey colour.

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Ø 16 mm	34587	25 m	3.2	0.030
Ø 16 mm	34586	50 m	6.2	0.040
Ø 20 mm	30754	25 m	4.0	0.040
Ø 20 mm	28570	50 m	9.1	0.060
Ø 25 mm	30755	25 m	6.0	0.050
Ø 25 mm	28571	50 m	11.0	0.042
Ø 32 mm	30756	25 m	9.6	0.070
Ø 32 mm	28572	50 m	16.7	0.065
Ø 40 mm	30757	25 m	12.3	0.110
Ø 40 mm	28573	50 m	23.0	0.109
Ø 50 mm	30758	25 m	18.4	0.150
Ø 50 mm	28574	50 m	37.0	0.178
Ø 63 mm	28575	25 m	49.5	1.140
Ø 75 mm	34588	25 m	33.3	0.300


Cleaner PVC

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
0.5 l	02432	15	8.1	0.026
1 l	02431	12	11.0	0.036


Solvent cement PVC

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
0.25 l	02429	30	10.0	0.024
0.50 l	02427	15	8.0	0.026
1 l	02426	12	13.0	0.036


PVC Cleaner

Liquid cleaner specially adequate for cleaning and degreasing pipes, coupling sockets and other PVC rigid fittings before gluing them together, and for removing excess glue.

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Cleaner 500 ml	28827	-	-	-
Cleaner 1000 ml	28828	-	-	-


PVC-Gel - Special for PVC pipe

For large diameter pressure pipes. Slow setting time, the allowing correct positioning of the fittings and perfect cementation. Supplied with brush.

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
250 ml	26198	36	11.18	0.02
500 ml	26199	24	13.50	0.02
1000 ml	26200	12	12.90	0.02



FILTER RING MANIFOLD FOR 3/4" LATERALS

Blue Adhesive, extra quick drying for flexible and rigid PVC pipes



Special for pools. For use in pool installations. Its high Gel composition and covering capacity gives perfect cementation. Supplied with brush.

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
250 ml	26201	36	11.20	0.02
500 ml	26202	24	13.50	0.02
1000 ml	26203	12	12.90	0.02

8 lateral ring manifold



Made of PVC, inner Ø 50 mm and outer Ø 63 mm.

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
00624	12	4.0	0.017

12 lateral ring manifold

Made of PVC, inner Ø 63 mm and outer Ø 75 mm.

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
00625	6	3.0	0.310

3/4" Laterals



0.3 mm slots.

	Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
Length 225 mm	00626	50	2.0	0.017
Length 160 mm	00627	50	2.0	0.017
Length 110 mm	00628	50	2.0	0.008
Length 100 mm (for prolonging)	00629	50	2.0	0.008

Bush coupling



For laterals. In PVC.

Inside threading 3/4"

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
00630	50	2.0	0.003

FILTER RING MANIFOLD FOR 1" LATERALS

8 laterals ring manifold



Made of PVC, inner: Ø 50 mm and outer: Ø 63 mm.

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
06433	12	4.0	0.017

FILTER RING MANIFOLD FOR 1" LATERALS
12 lateral ring manifold

Made of PVC, inner: Ø 63 mm and outer: Ø 75 mm.

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
06434	6	3.0	0.310

1" laterals

0.3 mm slots.

Length 225 mm
 Length 160 mm
 Length 110 mm
 Length 100 mm (extensions)

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
06435	50	2.0	0.017
06436	50	2.0	0.017
06437	50	2.0	0.008
06438	50	2.0	0.008


Bush coupling

For laterals. In PVC.

Inner threading 1"

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
06439	-	-	-


FILTER DIFFUSER
For Ø 50 mm Pipe

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
00645	6	1.0	0.009


For Ø 63 mm Pipe

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
00646	6	2.0	0.023

COLLECTOR PIPE FOR VALVE MANIFOLD
Collector pipe for valve manifold

Made of PVC. Inlet connections, inner Ø 50 mm and 63 mm. Outlet connections Ø 50 and 63 mm.

Code	Standard Packing	Standard Weight Kg	Standard Volume m ³
31877	1	-	-
34407	1	-	-

Connections Ø 50 mm
 Connections Ø 63 mm



